

AccountRight Application Error Report

=====

Application Version: 2023.4.1.6
Application File Version: 2023.4.1.8
Incident Id: 1dc4e1ac-acb7-40eb-b191-39727b30d4c5
Time: Monday, 22 May 2023 12:23:58 PM

Code:
Unknown (0)

Message:
(Unknown): ShowUIView(CardDetail,...,....)

Stack Trace

```
-----  
1 : MYOB.Huxley.API.HuxleyApplicationException  
-----  
MYOB.Huxley.API.HuxleyApplicationException: (Unknown):  
ShowUIView(CardDetail,...,....) ---> MYOB.Huxley.API.HuxleyApplicationException:  
(DataNotUniqueError): More than one EmployeePayrollDetails exists for employeeId =  
447  
    at  
mscorlib!0x0600572c!System.Runtime.Remoting.Proxies.RealProxy.HandleReturnMessage(I  
Message reqMsg, IMessage retMsg) +0x27  
    at  
mscorlib!0x06005737!System.Runtime.Remoting.Proxies.RealProxy.PrivateInvoke(Message  
Data& msgData, Int32 type) +0x1b3  
    at  
Huxley.Service.Gateway!0x06001a29!MYOB.Huxley.Service.Gateway.API.IGatewayService.D  
ispatch(String name, Object[] arguments)  
    at  
Huxley.Service.Proxy!0x06000335!MYOB.Huxley.Service.Proxy.Services.ProxyCardContain  
erService.GetContainerObjectByType(IEnumerable`1 objectSetVersions, CardType  
cardType, Int32 id) +0x0  
    at  
Huxley.UI.Decorators!0x06002aee!MYOB.Huxley.UI.Decorators.Services.DecoratorService  
MYOBHuxleyApplicationServicesContainerAPIICardContainerService.MYOB.Huxley.Applicat  
ionServices.Container.API.ICardContainerService.GetContainerObjectByType(IEnumerabl  
e`1 objectSetVersions, CardType cardType, Int32 id) +0x54  
    at  
Huxley.UI.Model!0x06004011!MYOB.Huxley.UI.Model.Context.CardContext.<>c__DisplayCla  
ss3_0.<GetContainerObjectByType>b__0() +0x0  
    at  
Huxley.UI.Model!0x06003a8e!MYOB.Huxley.UI.Model.Context.Base.UIContextContainer`2.I  
nvokeContainerGet(Func`1 getFunction, Boolean force) +0x60  
    at  
Huxley.UI.Model!0x060037f9!MYOB.Huxley.UI.Model.Context.CardContext.GetContainerObj  
ectByType(CardType cardType, Int32 id) +0x34
```

```
    at
Huxley.UI.Controllers!0x0600217d!MYOB.Huxley.UI.Controllers.Cards.CardDetailControl
ler.GetDataObject() +0x0
    at
Huxley.UI.Controllers!0x06001178!MYOB.Huxley.UI.Controllers.Base.BaseControllerBusi
nessObject`5.get_DataRecord() +0x33
    at
Huxley.UI.Forms!0x06001bcc!MYOB.Huxley.UI.Forms.Cards.DetailContainers.CardDetail.S
etupContainer() +0x63
    at
Huxley.UI.Forms!0x060026be!MYOB.Huxley.UI.Forms.BaseForms.BaseViewContainer.Initial
izeContainer(IUIViewPresenter uiPresenter, IController parentController, IUIContext
context, EntityInfo eInfo) +0x1e9
    at
Huxley.UI.Forms!0x06002717!MYOB.Huxley.UI.Forms.BaseForms.BaseViewContainer.Dynamic
ContainerLoad(String resourceId, String name, IController controller, IUIContext
context, EntityInfo eInfo, Boolean visible) +0x228
    at
Huxley.UI.Forms!0x06002713!MYOB.Huxley.UI.Forms.BaseForms.BaseViewContainer.Dynamic
ContainerLoad(String resourceId, IUIContext context, EntityInfo eInfo) +0xa
    at
Huxley.UI.Forms!0x06002354!MYOB.Huxley.UI.Forms.BaseForms.BaseViewForm.InitializeFo
rm(UIViewType viewType, IUIViewPresenter uiViewPresenter, String
containerResourceID, IUICompanyFile companyFile, EntityInfo eInfo, Boolean
showAsModal, BeginNotificationRefreshMethod refreshMethod) +0x122
    at
Huxley.UI.Framework!0x06000177!MYOB.Huxley.UI.Framework.Presenter.UIViewFactory.Get
Form(UIViewType viewType, EntityInfo eInfo, IUIViewPresenter presenter, Boolean
showAsModal, BeginNotificationRefreshMethod refreshMethod) +0x88
    at
Huxley.UI.Framework!0x06000176!MYOB.Huxley.UI.Framework.Presenter.UIViewFactory.Sho
w(IUIViewPresenter presenter, UIViewType viewType, Boolean showDialog, EntityInfo
eInfo, IUIContext context, Boolean visible, BeginNotificationRefreshMethod
refreshMethod) +0xaa
    at
Huxley.UI.Framework!0x06000195!MYOB.Huxley.UI.Framework.Presenter.UIViewPresenter.S
howUIView(UIViewType uiViewType, EntityInfo entityInfo,
BeginNotificationRefreshMethod refreshMethod) +0x4a
    --- End of inner exception stack trace ---
    at
Huxley.UI.Framework!0x06000195!MYOB.Huxley.UI.Framework.Presenter.UIViewPresenter.S
howUIView(UIViewType uiViewType, EntityInfo entityInfo,
BeginNotificationRefreshMethod refreshMethod) +0xa3
    at
Huxley.UI.Forms!0x06001a6e!MYOB.Huxley.UI.Forms.Cards.CardsGrid.OnCustomNavigationE
vent(UIViewType uiViewType, EntityInfo eInfo, Boolean showAsDialog,
BeginNotificationRefreshMethod refreshMethod) +0x0
    at
Huxley.UI.Forms!0x060026d3!MYOB.Huxley.UI.Forms.BaseForms.BaseViewContainer.RaiseNa
vigationEvent(UIViewType uiViewType, EntityInfo eInfo, Boolean showAsDialog,
```

```
Boolean causeRefresh) +0x33
  at
Huxley.UI.Forms!0x06001aa4!MYOB.Huxley.UI.Forms.Cards.CardsGrid.LaunchDetail(UICard
Summary editCard) +0x3b
  at
Huxley.UI.Forms!0x06001a7a!MYOB.Huxley.UI.Forms.Cards.CardsGrid.grdvCardsList_Drill
DownClicked(Object sender, DrilldownClickedArgs e) +0x16
  at
Huxley.UI.Controls!0x0600047e!MYOB.Huxley.UI.Controls.External.ExtGridView.InvokeDr
illDownClicked(Object row) +0x21
  at
Huxley.UI.Controls!0x060004a2!MYOB.Huxley.UI.Controls.External.ExtGridView.ExtGridV
iew_Click(Object sender, EventArgs e) +0xe8
  at
DevExpress.XtraGrid.v17.1!0x060004a5!DevExpress.XtraGrid.Views.Base.BaseView.RaiseC
lick(EventArgs e) +0x19
  at
DevExpress.XtraGrid.v17.1!0x06000117!DevExpress.XtraGrid.Views.Grid.Handler.GridHan
dler.OnClick(MouseEventArgs ev) +0x7
  at
DevExpress.Utils.v17.1!0x06002738!DevExpress.Utils.Controls.BaseHandler.ProcessEven
t(EventType etype, Object args) +0x8e
  at
DevExpress.XtraGrid.v17.1!0x060000e8!DevExpress.XtraGrid.Views.Base.Handler.BaseVie
wHandler.ProcessEvent(EventType etype, Object args) +0x22
  at
DevExpress.XtraGrid.v17.1!0x0600216d!DevExpress.XtraGrid.GridControl.OnClick(EventA
rgs ev) +0x33
  at
System.Windows.Forms!0x06000f04!System.Windows.Forms.Control.WmMouseUp(Message& m,
MouseButtons button, Int32 clicks) +0xf2
  at System.Windows.Forms!0x06000f14!System.Windows.Forms.Control.WndProc(Message&
m) +0x49f
  at
DevExpress.XtraEditors.v17.1!0x06001445!DevExpress.XtraEditors.Container.EditorCont
ainer.WndProc(Message& m) +0x67
  at
DevExpress.XtraGrid.v17.1!0x0600214e!DevExpress.XtraGrid.GridControl.WndProc(Messag
e& m) +0xbb
  at
System.Windows.Forms!0x0600572a!System.Windows.Forms.Control.ControlNativeWindow.On
Message(Message& m) +0x0
  at
System.Windows.Forms!0x0600572d!System.Windows.Forms.Control.ControlNativeWindow.Wn
dProc(Message& m) +0x8e
  at
System.Windows.Forms!0x06002df3!System.Windows.Forms.NativeWindow.Callback(IntPtr
hWnd, Int32 msg, IntPtr wParam, IntPtr lParam) +0x25
```

=====

MODULE: DevExpress.Utils.v17.1 => DevExpress.Utils.v17.1, Version=17.1.7.0,

Culture=neutral, PublicKeyToken=b88d1754d700e49a;
G:b8c34c059b804930811d5f6d50999b6c; A:1
MODULE: DevExpress.XtraEditors.v17.1 => DevExpress.XtraEditors.v17.1,
Version=17.1.7.0, Culture=neutral, PublicKeyToken=b88d1754d700e49a;
G:6df94e55f5bd4444b910d4b2a37076a4; A:1
MODULE: DevExpress.XtraGrid.v17.1 => DevExpress.XtraGrid.v17.1, Version=17.1.7.0,
Culture=neutral, PublicKeyToken=b88d1754d700e49a;
G:6a6f2858c181409aa7c4eb6bd501ac5f; A:1
MODULE: Huxley.Service.Gateway => Huxley.Service.Gateway, Version=2023.4.1.6,
Culture=neutral, PublicKeyToken=947f70fecdd4159f;
G:7eabf5e345a54bda9e60f2f851dffffc1; A:1
MODULE: Huxley.Service.Proxy => Huxley.Service.Proxy, Version=2023.4.1.6,
Culture=neutral, PublicKeyToken=947f70fecdd4159f;
G:48c810f03de24a7da905fe4144415b2f; A:1
MODULE: Huxley.UI.Controllers => Huxley.UI.Controllers, Version=2023.4.1.6,
Culture=neutral, PublicKeyToken=947f70fecdd4159f;
G:e25181dfffa2441e7a19a62c2d6ca3501; A:1
MODULE: Huxley.UI.Controls => Huxley.UI.Controls, Version=2023.4.1.6,
Culture=neutral, PublicKeyToken=947f70fecdd4159f;
G:c43a7b39d99f4a49a45263490dfac40b; A:1
MODULE: Huxley.UI.Decorators => Huxley.UI.Decorators, Version=2023.4.1.6,
Culture=neutral, PublicKeyToken=947f70fecdd4159f;
G:239d2c9632434f40aab1a34c7f81ea0b; A:1
MODULE: Huxley.UI.Forms => Huxley.UI.Forms, Version=2023.4.1.6, Culture=neutral,
PublicKeyToken=947f70fecdd4159f; G:f5aedf8050af441d8de599b695abe170; A:1
MODULE: Huxley.UI.Framework => Huxley.UI.Framework, Version=2023.4.1.6,
Culture=neutral, PublicKeyToken=947f70fecdd4159f;
G:cb0ee2109bea4dda91fb328ec4244fa8; A:1
MODULE: Huxley.UI.Model => Huxley.UI.Model, Version=2023.4.1.6, Culture=neutral,
PublicKeyToken=947f70fecdd4159f; G:fcba7911ca34fbca4b89ffd25e591e9; A:1
MODULE: mscorlib => mscorlib, Version=4.0.0.0, Culture=neutral,
PublicKeyToken=b77a5c561934e089; G:b27c0c3f693e4bfea3163c91ef1aaa5f; A:2
MODULE: System.Windows.Forms => System.Windows.Forms, Version=4.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089;
G:543c9eec2a3d4078aab81f89e0020776; A:1

2 : MYOB.Huxley.API.HuxleyApplicationException

MYOB.Huxley.API.HuxleyApplicationException: (DataNotUniqueError): More than one
EmployeePayrollDetails exists for employeeId = 447
at
mscorlib!0x0600572c!System.Runtime.Remoting.Proxies.RealProxy.HandleReturnMessage(I
Message reqMsg, IMessage retMsg) +0x27
at
mscorlib!0x06005737!System.Runtime.Remoting.Proxies.RealProxy.PrivateInvoke(Message
Data& msgData, Int32 type) +0x1b3
at
Huxley.Service.Gateway!0x06001a29!MYOB.Huxley.Service.Gateway.API.IGatewayService.D

```
ispatch(String name, Object[] arguments)
    at
Huxley.Service.Proxy!0x06000335!MYOB.Huxley.Service.Proxy.Services.ProxyCardContain
erService.GetContainerObjectByType(IEnumerable`1 objectSetVersions, CardType
cardType, Int32 id) +0x0
    at
Huxley.UI.Decorators!0x06002aee!MYOB.Huxley.UI.Decorators.Services.DecoratorService
MYOBHuxleyApplicationServicesContainerAPIICardContainerService.MYOB.Huxley.Applicat
ionServices.Container.API.ICardContainerService.GetContainerObjectByType(IEnumerable
e`1 objectSetVersions, CardType cardType, Int32 id) +0x54
    at
Huxley.UI.Model!0x06004011!MYOB.Huxley.UI.Model.Context.CardContext.<>c__DisplayCla
ss3_0.<GetContainerObjectByType>b__0() +0x0
    at
Huxley.UI.Model!0x06003a8e!MYOB.Huxley.UI.Model.Context.Base.UIContextContainer`2.I
nvokeContainerGet(Func`1 getFunction, Boolean force) +0x60
    at
Huxley.UI.Model!0x060037f9!MYOB.Huxley.UI.Model.Context.CardContext.GetContainerObj
ectByType(CardType cardType, Int32 id) +0x34
    at
Huxley.UI.Controllers!0x0600217d!MYOB.Huxley.UI.Controllers.Cards.CardDetailControl
ler.GetDataObject() +0x0
    at
Huxley.UI.Controllers!0x06001178!MYOB.Huxley.UI.Controllers.Base.BaseControllerBusi
nessObject`5.get_DataRecord() +0x33
    at
Huxley.UI.Forms!0x06001bcc!MYOB.Huxley.UI.Forms.Cards.DetailContainers.CardDetail.S
etupContainer() +0x63
    at
Huxley.UI.Forms!0x060026be!MYOB.Huxley.UI.Forms.BaseForms.BaseViewContainer.Initial
izeContainer(IUIViewPresenter uiPresenter, IController parentController, IUIContext
context, EntityInfo eInfo) +0x1e9
    at
Huxley.UI.Forms!0x06002717!MYOB.Huxley.UI.Forms.BaseForms.BaseViewContainer.Dynamic
ContainerLoad(String resourceId, String name, IController controller, IUIContext
context, EntityInfo eInfo, Boolean visible) +0x228
    at
Huxley.UI.Forms!0x06002713!MYOB.Huxley.UI.Forms.BaseForms.BaseViewContainer.Dynamic
ContainerLoad(String resourceId, IUIContext context, EntityInfo eInfo) +0xa
    at
Huxley.UI.Forms!0x06002354!MYOB.Huxley.UI.Forms.BaseForms.BaseViewForm.InitializeFo
rm(UIViewType viewType, IUIViewPresenter uiViewPresenter, String
containerResourceID, IUICompanyFile companyFile, EntityInfo eInfo, Boolean
showAsModal, BeginNotificationRefreshMethod refreshMethod) +0x122
    at
Huxley.UI.Framework!0x06000177!MYOB.Huxley.UI.Framework.Presenter.UIViewFactory.Get
Form(UIViewType viewType, EntityInfo eInfo, IUIViewPresenter presenter, Boolean
showAsModal, BeginNotificationRefreshMethod refreshMethod) +0x88
    at
Huxley.UI.Framework!0x06000176!MYOB.Huxley.UI.Framework.Presenter.UIViewFactory.Sho
```

w(IUIViewPresenter presenter, UIViewType viewType, Boolean showDialog, EntityInfo eInfo, IUIContext context, Boolean visible, BeginNotificationRefreshMethod refreshMethod) +0xaa

at

Huxley.UI.Framework!0x06000195!MYOB.Huxley.UI.Framework.Presenter.UIViewPresenter.ShowUIView(UIViewType uiViewType, EntityInfo entityInfo, BeginNotificationRefreshMethod refreshMethod) +0x4a

=====

MODULE: Huxley.Service.Gateway => Huxley.Service.Gateway, Version=2023.4.1.6, Culture=neutral, PublicKeyToken=947f70fecdd4159f;

G:7eabf5e345a54bda9e60f2f851dfffc1; A:1

MODULE: Huxley.Service.Proxy => Huxley.Service.Proxy, Version=2023.4.1.6, Culture=neutral, PublicKeyToken=947f70fecdd4159f;

G:48c810f03de24a7da905fe4144415b2f; A:1

MODULE: Huxley.UI.Controllers => Huxley.UI.Controllers, Version=2023.4.1.6, Culture=neutral, PublicKeyToken=947f70fecdd4159f;

G:e25181dfffa2441e7a19a62c2d6ca3501; A:1

MODULE: Huxley.UI.Decorators => Huxley.UI.Decorators, Version=2023.4.1.6, Culture=neutral, PublicKeyToken=947f70fecdd4159f;

G:239d2c9632434f40aab1a34c7f81ea0b; A:1

MODULE: Huxley.UI.Forms => Huxley.UI.Forms, Version=2023.4.1.6, Culture=neutral, PublicKeyToken=947f70fecdd4159f; G:f5aedf8050af441d8de599b695abe170; A:1

MODULE: Huxley.UI.Framework => Huxley.UI.Framework, Version=2023.4.1.6, Culture=neutral, PublicKeyToken=947f70fecdd4159f;

G:cb0ee2109bea4dda91fb328ec4244fa8; A:1

MODULE: Huxley.UI.Model => Huxley.UI.Model, Version=2023.4.1.6, Culture=neutral, PublicKeyToken=947f70fecdd4159f; G:fcba7911ca34fbca4b89ffd25e591e9; A:1

MODULE: mscorlib => mscorlib, Version=4.0.0.0, Culture=neutral,

PublicKeyToken=b77a5c561934e089; G:b27c0c3f693e4bfea3163c91ef1aaa5f; A:2
